

Type	Hits	Ref	Search Text	DBs	Time Stamp
BRS	632	S106	salt near filter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	155	S107	(salt near filter\$1) and isomers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S108	((salt near filter\$1) and isomers) and computer) and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7000	S109	array with container\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1882	S110	(array with container\$1) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S111	((array with container\$1) and computer) and (salt adj formers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	431	S112	salt adj formers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S113	investigating adj physical adj forms adj "of material"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	125	S114	investigating adj materials	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	35	S115	(investigating adj materials) and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	14	S116	((investigating adj materials) and array) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S117	(((((investigating adj materials) and array) and computer) and (heat and temperature))) and resultant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S118	(((((investigating adj materials) and array) and computer) and (heat and temperature))) and byproduct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3180	S119	(702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	8561	S120	(422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2361	S121	(436/50 or 436/174 or 436/177).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	693	S122	(366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	50	S123	564/425.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	14024	S124	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3103	S125	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) and (material adj testing or investigating or formation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	910	S126	(422/50 or 436/4).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	14539	S127	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	56	S128	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	30	S129	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening))) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	26	S130	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening))) and computer) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03

Type	Hits	Ref	Search Text	DBs	Time Stamp
BRS	0	S138	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and (material near screening)) and computer) and pressure) and temperature) and variable\$1) and analyzing) and (agitation or catalyst) and cool\$3) and (time and duration)) and operation) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S139	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and (material near screening)) and computer) and pressure) and temperature) and variable\$1) and analyzing) and (agitation or catalyst) and cool\$3) and (time and duration)) and operation) and feedback) and isomer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	256	S140	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	160	S141	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	154	S142	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	8	S143	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S144	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S145	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S146	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallisation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S147	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallisation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	2	S148	("20030157721").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S149	((("20030157721").PN.) and (end same product)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S150	((("20030157721").PN.) and resultant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S151	((("20030157721").PN.) and byproduct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S152	((US-20030157721-\$.did.	US-PGPUB	03/28/05
BRS	1	S153	((US-20030157721-\$.did.) and (type same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S154	((US-20030157721-\$.did.) and (timing same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S155	((US-20030157721-\$.did.) and (time same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S156	((US-20030157721-\$.did.) and (duration same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S157	((US-20030157721-\$.did.) and (duration and solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	572	S158	366/142.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	30	S159	366/142.ccls. and solvent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	23	S160	(366/142.ccls. and solvent) and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	9	S161	((366/142.ccls. and solvent) and material) and solid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S162	((((366/142.ccls. and solvent) and material) and solid) and computer) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S163	((US-20030157721-\$.did.) and (computer and solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S164	((US-20030157721-\$.did.) and (computer same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S165	((US-20030157721-\$.did.) and (heat or heating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S166	((US-20030157721-\$.did.) and (agitation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2	S167	((US-20030157721-\$.did.) and (catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S168	((US-20030157721-\$.did.) and (temperature and computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S169	((US-20030157721-\$.did.) and (temperature and computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S170	((US-20030157721-\$.did.) and (temperature same computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S171	((US-20030157721-\$.did.) and (filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S172	((US-20030157721-\$.did.) and (porous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2	S173	((US-20030157721-\$.did.) and (pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S174	((US-20030157721-\$.did.) and (material same analysed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S175	((US-20030157721-\$.did.) and (material same analyzed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S176	((US-20030157721-\$.did.) and (analyzed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S177	((US-20030157721-\$.did.) and (analysed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S178	((US-20030157721-\$.did.) and (analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S179	((US-20030157721-\$.did.) and (polymorphs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05

Type	Hits	Ref	Search Text	DBs	Time Stamp
BRS	0	S180	((US-20030157721-\$.did.) and (polymorph)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S181	((US-20030157721-\$.did.) and (salts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S182	((US-20030157721-\$.did.) and (salt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S183	((US-20030157721-\$.did.) and (first same second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S184	((US-20030157721-\$.did.) and (predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S185	((US-20030157721-\$.did.) and (predetermined same amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3466	S204	(702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S205	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) and polymorphs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	4	S206	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) and polymorphs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S207	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) and polymorphs and isomers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S208	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) and polymorphs and isomers and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S191	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) and (material adj testing or investigating or formation)) and (salt near formers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S197	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and polymorphism and computer and samples and isomers and filter and salts and crystallization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S200	((20030157721).PN.) and programmed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S201	((20030157721).PN.) and sample	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S209	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) and polymorphs and isomers and computer and vapour	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	10	S186	((salt near filter\$1) and isomers) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S187	((salt adj formers) and computer) and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	2	S188	('5246699').PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S189	((investigating adj materials) and array) and computer and (heat and temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S190	((salt adj formers) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	5	S192	((422/50 or 436/4).ccls.) and (material near testing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S193	((422/50 or 436/4).ccls.) and (material near testing)) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	8	S194	((3814582) or ('3932131')).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	5	S195	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening)) and computer and pressure and temperature and variable\$1) and analyzing and (agitation or catalyst) and cool\$3) and (time and duration)) and operation) and feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	6	S196	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and polymorphism and computer and samples and isomers and filter and salts	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	5	S198	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and polymorphism and computer and samples and isomers and filter and salts and resultant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2	S199	((20030157721).PN.) and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	4	S202	((366/142.ccls. and solvent) and material) and solid) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	4	S203	366/142.ccls. and (solvent same computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	82	S210	((20010016631) or ('20010055775) or ('20020032531) or ('20020037647) or ('20030033088) or ('20030219906) or ('3899011) or ('4399687) or ('4835711) or ('4877745) or ('5417923) or ('5445934) or ('5463564) or ('5574656) or ('5658802) or ('5684711) or ('5744305) or ('5763278) or ('5807522) or ('5832182) or ('5843767) or ('5859703) or ('5901069) or ('5928952) or ('5956137) or ('5965137) or ('5985214) or ('5999255) or ('6003029) or ('6100901) or ('6140643) or ('6175816) or ('6267935) or ('6296673) or ('6327334) or ('6333501) or ('6421553) or ('6434490) or ('6487523) or ('20020048610) or ('6507636)).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S211	S210 near salt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S212	S210 and polymorphs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S213	S212 and (initial near material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S214	S212 and (material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S215	S214 and receptacles	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S216	S214 and chemical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	502	S217	array near receptacle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S218	S217 and investigating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S219	S218 and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S220	resultant near material near analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S221	S220 and (array near receptacle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05